



THE WEIZMANN SCIENCE PRESS OF ISRAEL

National Council for Research and Development

ISRAEL **Journal of** **EARTH~** **SCIENCES**

Volume 19

1970



מוסד ויצמן לפרסומים במדעי הטבע ובטכנולוגיה, ירושלים
THE WEIZMANN SCIENCE PRESS OF ISRAEL

Publishers of the following journals

ISRAEL JOURNAL OF BOTANY; ISRAEL JOURNAL OF CHEMISTRY;
ISRAEL JOURNAL OF EARTH-SCIENCES; ISRAEL JOURNAL OF MATHEMATICS;
ISRAEL JOURNAL OF TECHNOLOGY; ISRAEL JOURNAL OF ZOOLOGY

Supporting Institutions:

THE NATIONAL COUNCIL FOR RESEARCH AND DEVELOPMENT;
BAR-ILAN UNIVERSITY; TECHNION—ISRAEL INSTITUTE OF TECHNOLOGY;
TEL AVIV UNIVERSITY; THE HEBREW UNIVERSITY OF JERUSALEM;
THE WEIZMANN INSTITUTE OF SCIENCE

**ISRAEL JOURNAL
GENERAL EDITORIAL BOARD OF EARTH-SCIENCES**

Formerly: Bulletin of the Research Council
of Israel, Section G

D. ABIR
A. DVORETZKY
M. EVENARI
L. PICARD
S. SAMBURSKY
M. SELA
G. STEIN
N. TRAININ
S. YIFTAH

Executive Editor
L. LESTER

Editorial Board

J. BEAR
Y. GAT
R. FREUND
I. KARCZ
J. NEUMANN
Z. REISS
N. SCHULMAN

Coordinator
Y. WEILER

Subscriptions are to be addressed to the Weizmann Science Press, P.O.B. 801, Jerusalem, Israel. In Europe, orders may be sent to Wm. Dawson & Sons Ltd., Cannon House, Macklin Street, London, W.C. 2., or through booksellers. Subscription rates per volume, \$ 10.00.

Copyright © 1970 by THE WEIZMANN SCIENCE PRESS OF ISRAEL

Printed in Israel, Rafael Chaim Hacohen Press, Ltd.

ISRAEL JOURNAL OF EARTH-SCIENCES

Vol. 19, 1970

NUMBER 1

the subsurface geology of the Rosh Ha'Ayin-Ma'anit region, central Israel	<i>U. Barner</i>	1
evaluation of materials from the Khureibe area as a source of the raw calcareous		
component in Portland cement	<i>I. Yaron, M. Ish-Shalom, M. Beyth and N. Lasman</i>	21
NOTE: Outcrops of Hazeva and Taqiye Formations in the Jerusalem area and their		
possible significance	<i>A. Horowitz</i>	35
BOOK REVIEW		39

NUMBER 2

DEDICATED TO PROFESSOR DOV ASHBEL ON THE OCCASION OF HIS SEVENTY-FIFTH BIRTHDAY

Publications of Dov Ashbel		v
the origin of fixed nitrogen in the atmosphere	<i>M. R. Bloch and W. Luecke</i>	41
thermal radiation fluxes through optically thin clouds	<i>J. H. Joseph</i>	51
frequency of duststorms at Be'er Sheva'	<i>J. Katsnelson</i>	69
the synoptics of hail in Israel	<i>M. Levi</i>	77
topography-conditioned variations in rainfall as related to the runoff-contributing areas in		
a small watershed	<i>D. Sharon</i>	85
measurements of global solar radiation in Israel	<i>G. Stanhill</i>	91

NUMBERS 3-4

DEDICATED TO PROFESSOR M. A. AVNIMELECH ON THE OCCASION OF HIS SEVENTIETH BIRTHDAY

Publications of M.A. Avnimelech		iii
genesis of some Cretaceous carbonates in Israel	<i>N. Schneidermann</i>	97
the geometry of faulting in the Galilee	<i>R. Freund</i>	117
Antonian paleostructure of the Galilee	<i>A. Flexer, R. Freund, Z. Reiss and B. Buchbinder</i>	141
Eocene tectonic movements in the Coastal Plain of Israel emphasizing the Mount		
Carmel area	<i>U. Kafri</i>	147
massic microflora from the northern Negev, Israel	<i>A. Horowitz</i>	153
the Zohar Formation (Jurassic) in southern Israel: A model of shallow-water marine		
carbonate sedimentation	<i>A. Barzel and G. M. Friedman</i>	183
LETTERS TO THE EDITOR		
Copper mineralization in the Eocene of Wadi Arava	<i>A. Nissenbaum</i>	209
Mineralogy of the "Mottled Zone" complex in Israel. List of minerals	<i>S. Gross</i>	211

AUTHOR INDEX

- | | | |
|--|--|--|
| <p>B</p> <p>Barner, U., 1
 Barzel, A., 183
 Beyth, M., 21
 Bloch, M.R., 41
 Buchbinder, B., 141</p> <p>F</p> <p>Flexer, A., 141
 Freund, R., 117, 141
 Friedman, G.M., 983</p> <p>G</p> <p>Gross, S., 211</p> | <p>H</p> <p>Horowitz, A., 35, 153</p> <p>I</p> <p>Ish-Shalom, M., 21</p> <p>J</p> <p>Joseph, J.H., 51</p> <p>K</p> <p>Kafri, U., 147
 Katsnelson, J., 69</p> <p>L</p> <p>Lasman, N., 21
 Levi, M., 77
 Luecke, W., 41</p> | <p>N</p> <p>Nissenbaum, A., 209</p> <p>R</p> <p>Reiss, Z., 39, 141</p> <p>S</p> <p>Schneidermann, N., 97
 Sharon, D., 85
 Stanhill, G., 91</p> <p>Y</p> <p>Yaron, I., 21</p> |
|--|--|--|

SUBJECT INDEX

- | | |
|--|---|
| <p>A</p> <p>Ashbel, Dov, publications of, v (2)
 Atmosphere, the origin of fixed nitrogen in the, 41
 Avnimelech, M. A., publications of, iii (3-4)</p> <p>B</p> <p>Be'er Sheva', frequency of duststorms at, 69</p> <p>C</p> <p>Carbonate sedimentation, the Zohar Formation (Jurassic) in southern Israel: A model of shallow-water marine, 183
 Carbonates in Israel, genesis of some Cretaceous, 97
 Central Israel, the subsurface geology of the Rosh Ha'Ayin-Ma'anit region, 1
 Clouds, thermal radiation fluxes through optically thin, 51
 Coastal Plain of Israel, emphasizing the Mount Carmel area, Pleistocene tectonic movements in the, 147
 Copper mineralization in the Eocene of Wadi Arava, 209</p> <p>D</p> <p>Duststorms at Be'er Sheva', frequency of, 69</p> <p>E</p> <p>Eocene of Wadi Arava, copper mineralization in the, 209</p> | <p>F</p> <p>Faulting in the Galilee, the geometry of, 117</p> <p>G</p> <p>Galilee, Santonian paleostructure of the, 141
 Galilee, the geometry of faulting in the, 117</p> <p>H</p> <p>Hail in Israel, the synoptics of, 77
 Hazeva and Taqiye Formations in the Jerusalem area and their possible significance, outcrops of, 35</p> <p>K</p> <p>Khureibe area (evaluation of materials from the) as a source of the raw calcareous component in Portland cement, 21</p> <p>J</p> <p>Jerusalem area, outcrops of Hazeva and Taqiye Formations in the, and their possible significance, 35
 (Jurassic) in southern Israel: A model of shallow-water marine carbonate sedimentation, the Zohar Formation 183
 Jurassic microflora from the northern Negev, Israel, 153</p> |
|--|---|

M		
Microflora from the northern Negev, Israel, Jurassic, 153	Rosh Ha'Ayin-Ma'anit region, central Israel, the subsurface geology of, 1	
Mineralogy of the "Mottled Zone" complex in Israel. List of minerals, 211	Runoff-contributing areas in a small watershed, topography-conditioned variations in rainfall as related to the, 85	
N		
Negev, Israel, Jurassic microflora from the northern, 153	Santonian paleostructure of the Galilee, 141	
Nitrogen in the atmosphere, the origin of fixed, 41	Solar radiation in Israel, measurements of global, 91	
P		
Paleostructure of the Galilee, Santonian, 141	Synoptics of hail in Israel, the, 77	
Pleistocene tectonic movements in the Coastal Plain of Israel emphasizing the Mount Carmel area, 147	T	
Portland cement, evaluation of materials from the Khureibe area as a source of the raw calcareous component in, 21	Taqiye (outcrops of Hazeva and) Formations in the Jerusalem area and their possible significance, 35	
R		
Radiation fluxes through optically thin clouds, thermal, 51	Thermal radiation fluxes through optically thin clouds, 51	
Radiation in Israel, measurements of global solar, 91	Topography-conditioned variations in rainfall as related to the runoff-contributing areas in a small watershed, 85	
Z		
	Zohar Formation (Jurassic) in southern Israel: A model of shallow-water marine carbonate sedimentation, 183	

DATES OF PRINTING

No. 1. July 1970

No. 2. December 1970

Nos. 3-4. January 1971

CORRECTIONS

Vol. 19, No. 2, 1970, pp. 69-76

J. Katsnelson, Frequency of duststorms at Be'er Sheva'

p. 69, footnote with double-asterisk, read: Israel Meteorological Service Monthly Weather Reports

p. 71, 1. 4, for figure read Fig. 1

Figure 2 (between pp. 72-73), both parts, read: 12.00 U.T. for 12.00 G.M.T.

Figure 4 (between pp. 72-73) read: ...large amounts of rain...

Figure 5 (between pp. 72-73) read: 36.7° C for 36.7 × C

Vol. 19, No. 2, 1970, pp. 77-83

M. Levi, The synoptics of hail in Israel

p. 80, second line below Table, read: at 850, 700 and 500 mb for at 850, 760 and 500 mb

Figures 1 and 2 (between pp. 80-81) read: U.T. for G.M.T.

